

DOCKET NO.

CONFIRM. JN NO.

4529

APPLICANT

Daniel Aeschlimann et al.

APPLICATION NO.

10/680,000

FILED

10/6/2003

RECEIPT IS HEREBY ACKNOWLEDGED OF THE

Statement Under 37 CFR Sections 1.97 and 1.56 (in duplicate); PTO-1449 (w/o references)

DATED

03/08/04

FILED IN CONNECTION WITH THE ABOVE CASE.

COMMISSIONER FOR PATENTS

SCR 003352.0009





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

Daniel Aeschlimann et al.

Application No.

10/680,000

Filed

October 6, 2003

Confirmation No.

4529

For

FUNCTIONALIZED DERIVATIVES OF HYALURONIC ACID,

FORMATION OF HYDROGELS IN SITU USING SAME, AND

METHODS FOR MAKING AND USING SAME

Group Art Unit

1623

Examiner

Not Yet Assigned

New York, New York March 8, 2004

Hon. Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

STATEMENT UNDER 37 C.F.R. §§ 1.97 AND 1.56

Sir:

Pursuant to 37 C.F.R. §§ 1.56 and 1.97(b), applicants make of record the

following documents:

UNITED STATES PATENTS

4,517,295	Bracke et al.
4,582,865	Balazs et al.
4,703,108	Silver et al.
4,713,448	Balazs et al.
4,780,414	Nimrod et al.
4,784,659	Fleckenstein et al.
4,801,539	Akasaka et al.
4,897,349	Swann et al.
4,957,744	della Valle et al.
4.970.298	Silver et al.

5,017,229 Burns et al. 5,166,331 della Valle et al. 5,270,300 Hunziker 5,316,926 Brown et al. 5,336,767 della Valle et al. 5,356,883 Kuo et al. Hunziker 5,368,858 5,413,791 Rhee et al. Rosenthal et al. 5,466,462 5,468,787 Braden et al. Kuo et al. 5,502,081 Song et al. 5,512,301 Burns et al. 5,527,893 5,565,210 Rosenthal et al. Abdul-Malak et al. 5,567,806 5,616,568 Pouyani et al. 5,652,347 Pouyani et al. Schroeder et al. 5,693,341 5,700,476 Rosenthal et al. Schwartz et al. 5,769,899

FOREIGN PATENT DOCUMENTS

FR 96 12200 (published October 7, 1996) WO 90/06767 (published June 28, 1990) WO 96/15888 (published May 30, 1996) WO 97/45532 (published December 4, 1997) WO 97/18244 (published May 22, 1997)

OTHER REFERENCES

Adams, M.E., "Viscosupplementation as articular therapy," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed.), Portland Press, London, pp. 243-253 (1998).

Amiel et al., "The chondrogenesis of rib perichondrial grafts for repair of full thickness articular cartilage defects in a rabbit model: A one year postoperative assessment." Connect. Tissue Res. 18, pp. 27-39 (1988).

Balazs and Laurent, "Round table discussion: new applications for hyaluronan," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed.), Portland Press, London, pp. 325-336 (1998).

Band, P.A., "Hyaluronan derivatives: chemistry and clinical applications," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed.), Portland Press, London, pp. 33-42 (1998).

Bitter and Muir, "A Modified Uronic Acid Carbazole Reaction," *Anal. Biochem.*, 4, pp. 330-334 (1962).

Brittberg et al., "Treatment of deep cartilage defects in the knee with autologous chondrocyte transplantation," New Engl. J. Med., 331, pp. 889-895 (1994).

Cha, J.S., "Recent developments in the synthesis of aldehydes by reduction of carboxylic acids and their derivatives with metal hydrides. A review.," *Org. Prep. Proc. Int.*, 21, pp. 451-477 (1989).

Cha et al., "Direct Transformation of Carboxylic Acids into Aldehydes through Acyloxy-9-borabicyclo [3.3.1]nonane," *Bull. Korean Chem. Soc.*, 9, pp. 48-52 (1988).

Chu et al., "Articular cartilage repair using allogeneic perichondrocyte-seeded biodegradable porous polylactic acid (PLA): A tissue-engineering study," *J. Biomed. Mat. Res.*, 29, pp. 1147-1154 (1995).

Curvall et al., "Modification of polysaccharides containing uronic acid residues," *Carbohydr. Res.*, 41, pp. 235-239 (1975).

Dahl et al., "Preparation of Biologically Intact Radioiodinated Hyaluronan of High Specific Radioactivity: Coupling of 125I-Tyramine-Cellobiose to Amino Groups after Partial N-Deacetylation," *Anal. Biochem.*, 175, pp. 397-407 (1988).

Danishefsky and Siskovic, "Conversion of carboxyl groups of mucopolysaccharides into amides of amino acid esters," *Carbohydr. Res.*, 16, pp. 199-205 (1971).

Denlinger, J.L., "Hyaluronan and its derivatives as viscoelastics in medicine," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives," T.C. Laurent (ed.), Portland Press, London, pp. 235-242 (1998).

Drobnik, J., "Hyaluronan in drug delivery," Adv. Drug Delivery Rev., 7, pp. 295-308 (1991).

Fraser et al., "Catabolism of hyaluronan," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives," T.C. Laurent (ed.), Portland Press, London, pp. 85-92 (1998).

Freed et al., "Joint resurfacing using allograft chondrocytes and synthetic biodegradable polymer scaffolds," J. Biomed. Mat. Res., 28, pp. 891-899 (1994).

Gombotz and Pettit, "Biodegradable Polymers for Protein and Peptide Drug Delivery," *Bioconjugate Chem.*, 6, pp. 332-351 (1995).

Grammatikakis et al., "A Novel Glycosaminoglycan-binding Protein Is the Vertebrate Homologue of the Cell Cycle Control Protein, Cdc37," *J. Biol. Chem.*, 270, pp. 16198-16205 (1995).

Grande et al., "The Repair of Experimentally Produced Defects in Rabbit Articular Cartilage by Autologous Chondrocyte Transplantation," J. Orthop. Res., 7, pp. 208-218 (1989).

Gustafson, S., "Hyaluronan in drug delivery," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed.), Portland Press, London, pp. 291-304 (1998).

Harada et al., "Chondrogenesis and Osteogenesis of Bone Marrow-derived Cells by Bone-inductive Factor," *Bone*, 9, pp. 177-183 (1988).

Hauselmann et al., "Synthesis and Turnover of Proteoglycans by Human and Bovine Adult Articular Chondrocytes Cultured in Alginate Beads," *Matrix*, 12, pp. 116-129 (1992).

Hauselmann et al., "Adult human chondrocytes cultured in alginate form a matrix similar to native human articular cartilage," Am J. Physiol., 271, pp. C742-C752 (1996).

Hohenadl et al., "Two Adjacent N-terminal Glutamines of BM-40 (Osteonectin, SPARC) Act as Amine Acceptor Sites in TransglutaminaseC-catalyzed Modification," *J. Biol. Chem.*, 270, pp. 23415-23420 (1995).

Homminga et al., "Perichondral grafting for cartilage lesions of the knee," J. Bone Joint Surg., 72-B, pp. 1003-1007 (1990).

Homminga et al., "Repair of articular defects by perichondrial grafts: Experiments in the rabbit," *Acta Orthop. Scand.*, pp. 326-329 (1989).

Hunziker and Rosenberg, "Repair of Partial-Thickness Defects in Articular Cartilage: Cell Recruitment from the Synovial Membrane," *J. Bone Joint Surg.*, 78-A, pp. 721-733 (1996).

Itay et al., "Use of Cultured Embryonal Chick Epiphyseal Chondrocytes as Grafts for Defects in Chick Articular Cartilage," *Clin. Orthop.*, 220, pp. 284-303 (1987).

Kalb and Cowley, "Hope for Damaged Joints," Newsweek, p. 55, January 29, 1996.

King et al., "Beneficial actions of exogenous hyaluronic acid on wound healing," *Surgery*, 109, pp. 76-84 (1991).

Knudson, C.B., "Hyaluronan Receptor-directed Assembly of Chondrocyte Pericellular Matrix," *J. Cell Biol.*, 120, pp. 825-834 (1993).

Knudson and Knudson, "Hyaluronan-binding proteins in development, tissue homeostasis, and disease," *FASEB J.*, 7, pp. 1233-1241 (1993).

Kuettner et al., "Synthesis of Cartilage Matrix by Mammalian Chondrocytes in vitro. I. Isolation, Culture Characteristics, and Morphology," *J. Cell Biol.*, 93, pp. 743-750 (1982).

Kuo et al., "Chemical Modification of Hyaluronic Acid by Carbodiimides," *Bioconjugate Chem.*, 2, pp. 232-241 (1991).

Kurzer and Douraghi-Zadeh, "Advances in the Chemistry of Carbodiimides," Chem. Rev., 67, pp. 107-152 (1967).

Kvam et al., "Purification and Characterization of Hyaluronan from Synovial Fluid," *Anal. Biochem.*, 211, pp. 44-49 (1993).

Larsen, N.E., "Management of adhesion formation and soft tissue augmentation with viscoelastics: hyaluronan derivatives," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives," T.C. Laurent (ed.), Portland Press, London, pp. 267-281 (1998).

Larsen and Balazs, "Drug delivery systems using hyaluronan and its derivatives," Adv. Drug Delivery Rev., 7, pp. 279-293 (1991).

Laurencin et al., "Poly(anhydride) administration in high doses in vivo: Studies of biocompatibility and toxicology," J. Biomed. Mat. Res., 24, pp. 1463-1481 (1990).

Laurent and Fraser, "Hyaluronan," FASEB J., 6, pp. 2397-2404 (1992).

Maleski and Knudson, "Hyaluronan-Mediated Aggregation of Limb Bud Mesenchyme and Mesenchymal Condensation during Chondrogenesis," *Exp. Cell Res.*, 225, pp. 55-66 (1996).

McPherson et al., "Collagen Fibrillogenesis In Vitro: A Characterization of Fibril Quality as a Function of Assembly Conditions," *Collagen Rel. Res.*, 5, pp. 119-135 (1985).

Morgelin et al., "The cartilage proteoglycan aggregate: assembly through combined protein-carbohydrate and protein-protein interactions," *Biophys. Chem.*, 50, pp. 113-128 (1994).

Nakahara et al., "Culture-Expanded Periosteal-Derived Cells Exhibit Osteochondrogenic Potential in Porous Calcium Phosphate Ceramics In Vivo," *Clin. Orthop.*, 276, pp. 291-298 (1992).

Noble et al., "Induction of inflammatory gene expression by low-molecular-weight hyaluronan fragments in macrophages," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives," T.C. Laurent (ed), Portland Press, London, pp. 219-225 (1998).

O'Driscoll et al., "Durability of Regenerated Articular Cartilage Produced by Free Autogenous Periosteal Grafts in Major Full-Thickness Defects in Joint Surfaces under the Influence of Continuous Passive Motion," J. Bone Joint Surg., 70-A, pp. 595-606 (1988).

Ogamo et al., "Preparation and properties of fluorescent glycosamino-glycuronans labeled with 5-aminofluorescein," *Carbohydr. Res.*, 105, pp. 69-85 (1982).

Parameswaran et al., "Labeling of ε-lysine cross-linking sites in proteins with peptide substrates of factor XIIIa and transglutaminase," *Proc. Natl. Acad. Sci. U.S.A.*, 87, pp. 8472-8475 (1990).

Pouyani et al., "Functionalized Derivatives of Hyaluronic Acid Oligosaccharides: Drug Carriers and Novel Biomaterials," *Bioconjugate Chem.*, 5, pp. 339-347 (1994).

Prestwich et al., "Chemical modification of hyaluronic acid for drug delivery, biomaterials and biochemical probes," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed)., Portland Press, London, pp. 43-65 (1998).

Richards and Knowles, "Glutaraldehyde as a Protein Cross-linking Reagent," J. Mol. Biol., 37, pp. 231-233 (1968).

Robinson et al., "Regenerating Hyaline Cartilage in Articular Defects of Old Chickens Using Implants of Embryonal Chick Chondrocytes Embedded in a New Natural Delivery Substance," *Calcif. Tissue Int.*, 46, pp. 246-253 (1990).

Sampath et al., "Recombinant Human Osteogenic Protein-1 (hOP-1) Induces New Bone Formation in Vivo with a Specific Activity Comparable with Natural Bovine Osteogenic Protein and Stimulates Osteoblast Proliferation and Differentiation in Vitro," *J. Biol. Chem.*, 267, pp. 20352-20362 (1992).

Scott, J.E., "Chemical morphology of hyaluronan," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed)., Portland Press, London, pp. 7-15 (1998).

Sheng et al., "A Specific Quantitative Colorimetric Assay for L-Asparagine," Anal. Biochem., 211, 242-249 (1993).

Shortkroff et al., "Healing of chondral and osteochondral defects in a canine model: the role of cultured chondrocytes in regeneration of articular cartilage," *Biomaterials*, 17, pp. 147-154 (1996).

Strachan et al., "Hyaluronate in rheumatology and orthopaedics: Is there a role?" Ann. Rheum. Dis., 49, 949-952 (1990).

Vercruysse et al., "Synthesis and in vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," *Bioconjugate Chem.*, 8, pp. 686-694 (1997).

Vilaseca et al., "Protein Conjugates of Defined Structure: Synthesis and Use of a New Carrier Molecule," *Bioconjugate Chem.*, 4, pp. 515-520 (1993).

Wakitani et al., "Mesenchymal Cell-Based Repair of Large, Full-Thickness Defects of Articular Cartilage," J. Bone Joint Surg., 76-A, pp. 579-592 (1994).

Wakitani et al., "Repair of rabbit articular surfaces with allograft chondrocytes embedded in collagen gel," J. Bone Joint Surg., 71-B, pp. 74-80 (1989).

Wang et al., "Recombinant human bone morphogenetic protein induces bone formation," *Proc. Natl. Acad. Sci. U.S.A.*, 87, pp. 2220-2224 (1990).

Weiss, C., "Viscoseparation and viscoprotection as therapeutic modalities in the musculoskeletal system," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed)., Portland Press, London, pp. 255-265 (1998).

Wong, S.S., "Chemistry of protein conjugation and crosslinking," CRC Press, Inc., Boca Raton, FL, p. 27 (1993).

Yang and Moses, "Transforming Growth Factor β1-induced Changes in Cell Migration, Proliferation, and Angiogenesis in the Chicken Chorioallantoic Membrane," J. Cell Biol., 111, pp. 731-741 (1990).

All documents cited herein were either previously submitted by applicants in an Information Disclosure Statement or cited by the Examiner in parent United States Application No. 09/156,829 ("the parent application"), from which the above-identified application claims priority. Pursuant to 37 C.F.R. § 1.98(d), applicants have not enclosed copies of the documents. However, applicants stand ready to provide copies at the Examiner's request.

This Statement is submitted more than three months from the application filing date but before the mailing date of the first Office Action on the merits. In accordance with 37 C.F.R. § 1.97, submission of this Statement requires no fee. However, if for any reason a fee is due, the Director is hereby authorized to charge payment of any fees required in connection with this Information Disclosure Statement to Deposit Account No. 06-1075. A duplicate copy of this Statement is transmitted herewith.

Applicants further request that the cited documents be (1) fully considered by the Examiner during the course of examination of this application, and (2) printed on any patent

issuing from this application. Additionally, applicants request that a copy of Form PTO-1449, as considered and initialed by the Examiner, be returned with the next communication.

Respectfully submitted,

Jane A. Massaro (Reg. No. 34,218) S. Craig Rochester (Reg. No. 43,052) Attorneys for Applicants

FISH & NEAVE Customer No. 1473 1251 Avenue of the Americas New York, New York 10020 Tel.: (212) 596-9000

I hereby certify that this Correspondence is being deposited with the U.S. Postal Service as First Class Mail in an envelope Addressed to: Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1460 on

Claire J Samur-van Goodman

Signature of Person Signing

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO. S/267 DIV

APPLN. NO. 10/680,000

APPLICANT

Daniel Aeschlimann et al.

Conf. No. 4529

FILING DATE 10/06/2003

GROUP ART UNIT 1623

	UNITED STATES. PATENT DOCUMENTS					
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLAS	FILING DATE IF APPROPRIATE
	4,517,295	05/14/85	Bracke et al.	435	101	
·	4,582,865	04/15/86	Balazs et al.	524	29	
	4,703,108	10/27/87	Silver et al.	530	356	
	4,713,448	12/15/87	Balazs et al.	536	55.1	
	4,780,414	10/25/88	Nimrod et al.	435	101	
	4,784,659	11/15/88	Fleckenstein et al.	623	1	
	4,801,539	01/31/89	Akasaka et al.	435	101	
	4,897,349	01/30/90	Swann et al.	435	101	"" ""
	4,957,744	09/18/90	della Valle et al.	424	401	
	4,970,298	11/13/90	Silver et al.	530	356	
	5,017,229	05/21/91	Burns et al.	106	162	
	5,166,331	11/24/92	della Valle et al.	536	55.1	
	5,270,300	12/14/93	Hunziker	514	12	
	5,316,926	05/31/94	Brown et al.	435	101	
	5,336,767	08/09/94	della Valle et al.	536	55.1	
	5,356,883	10/18/94	Kuo et al.	514	54	
	5,368,858	11/29/94	Hunziker	424	423	2
	5,413,791	05/09/95	Rhee et al.	424	422	
	5,466,462	11/14/95	Rosenthal et al.	424	426	
	5,468,787	11/21/95	Braden et al.	523	113	
	5,502,081	03/26/96	Kuo et al.	514	777	
	5,512,301	04/30/96	Song et al.	424	484	
	5,527,893	06/18/96	Burns et al.	514	53	
	5,565,210	10/15/96	Rosenthal et al.	424	426	
	5,567,806	10/22/96	Abdul-Malak et al.	530	356	
	5,616,568	04/01/97	Pouyani et al.	514	54	
	5,652,347	07/29/97	Pouyani et al.	536	18.5	

EXAMINER .

DATE CONSIDERED

FORM	PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY.	DOCKET	NO.
S/267 I	DIV .	

APPLN. NO. 10/680,000

APPLICANT

Conf. No. 4529

Daniel Aeschlimann et al.

FILING DATE 10/06/2003

GROUP ART UNIT

1623

					<u> </u>
5,693,341	12/02/97	Schroeder	424	488	
5,700,476	12/23/97	Rosenthal et al.	424	426	
5,769,899	06/23/98	Schwartz et al.	623	18	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT				SUBCLASS	TRANSLATION	
	NUMBER	DATE	COUNTRY	CLASS		YES	МО
	WO 90/06767	06/28/90	PCT	A61K	37/02		
	WO 96/15888	05/30/96	PCT	B28B3	00		
	WO 97/45532	12/04/97	PCT	C12N	5/00		_
<u>'</u>	WO 97/18244	5/22/97	PCT	C08B	37/08		
	FR 96 12200	10/07/96	France				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	
	Adams, M.E., "Viscosupplementation as articular therapy," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed.), Portland Press, London, pp. 243-253 (1998).
	Amiel et al., "The chondrogenesis of rib perichondrial grafts for repair of full thickness articular cartilage defects in a rabbit model: A one year postoperative assessment." Connect. Tissue Res. 18, pp. 27-39 (1988).
	Balazs and Laurent, "Round table discussion: new applications for hyaluronan," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed.), Portland Press, London, pp. 325-336 (1998).
	Band, P.A., "Hyaluronan derivatives: chemistry and clinical applications," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed.), Portland Press, London, pp. 33-42 (1998).
·	Bitter and Muir, "A Modified Uronic Acid Carbazole Reaction," Anal. Biochem., 4, pp. 330-334 (1962).
	Brittberg et al., "Treatment of deep cartilage defects in the knee with autologous chondrocyte transplantation," New Engl. J. Med., 331, pp. 889-895 (1994).

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO. S/267 DIV	APPLN. NO. 10/680,000
APPLICANT Daniel Aeschlimann et al.	Conf. No. 4529
FILING DATE	GROUP ART UNIT

1623

10/06/2003

EXAMINER INITIAL Cha, J.S., "Recent developments in the synthesis of aldehydes by reduction of carboxylic acids and their derivatives with metal hydrides. A review.," Org. Prep. Proc. Int., 21, pp. 451-477 (1989). Cha et al., "Direct Transformation of Carboxylic Acids into Aldehydes through Acyloxy-9-borabicyclo [3.3.1]nonane," Bull. Korean Chem. Soc., 9, pp. 48-52 (1988). Chu et al., "Articular cartilage repair using allogeneic perichondrocyte-seeded biodegradable porous polylactic acid (PLA): A tissue-engineering study," J. Biomed. Mat. Res., 29, pp. 1147-1154 (1995). Curvall et al., "Modification of polysaccharides containing uronic acid residues," Carbohydr. Res., 41, pp. 235-239 (1975). Dahl et al., "Preparation of Biologically Intact Radioiodinated Hyaluronan of High Specific Radioactivity: Coupling of 125I-Tyramine-Cellobiose to Amino Groups after Partial N-Deacetylation," Anal. Biochem., 175, pp. 397-407 (1988). Danishefsky and Siskovic, "Conversion of carboxyl groups of mucopolysaccharides into amides of amino acid esters," Carbohydr. Res., 16, pp. 199-205 (1971). Denlinger, J.L.,"Hyaluronan and its derivatives as viscoelastics in medicine," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives," T.C. Laurent (ed.), Portland Press, London, pp. 235-242 (1998). Drobnik, J., "Hyaluronan in drug delivery," Adv. Drug Delivery Rev., 7, pp. 295-308 (1991). Fraser et al., "Catabolism of hyaluronan," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives," T.C. Laurent (ed.), Portland Press, London, pp. 85-92 (1998). Freed et al., "Joint resurfacing using allograft chondrocytes and synthetic biodegradable polymer scaffolds," J. Biomed. Mat. Res., 28, pp. 891-899 (1994). Gombotz and Pettit, "Biodegradable Polymers for Protein and Peptide Drug Delivery," Bioconjugate Chem., 6, pp. 332-351 (1995). Grammatikakis et al., "A Novel Glycosaminoglycan-binding Protein Is the Vertebrate Homologue of the Cell Cycle Control Protein, Cdc37," J. Biol. Chem., 270, pp. 16198-16205 (1995).

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

Grande et al., "The Repair of Experimentally Produced Defects in Rabbit Articular Cartilage by Autologous

Harada et al., "Chondrogenesis and Osteogenesis of Bone Marrow-derived Cells by Bone-inductive Factor,"

Gustafson, S., "Hyaluronan in drug delivery," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed.), Portland Press, London, pp. 291-304 (1998).

Chondrocyte Transplantation," J. Orthop. Res., 7, pp. 208-218 (1989).

Bone, 9, pp. 177-183 (1988).

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO. S/267 DIV	APPLN. NO. 10/680,000
APPLICANT Daniel Aeschlimann et al.	Conf. No. 4529
FILING DATE	GROUP ART UNIT

1623

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

10/06/2003

EXAMINER INITIAL	
	Hauselmann et al., "Synthesis and Turnover of Proteoglycans by Human and Bovine Adult Articular Chondrocytes Cultured in Alginate Beads," <i>Matrix</i> , 12, pp. 116-129 (1992).
	Hauselmann et al., "Adult human chondrocytes cultured in alginate form a matrix similar to native human articular cartilage," <i>Am J. Physiol.</i> , 271, pp. C742-C752 (1996).
	Hohenadl et al., "Two Adjacent N-terminal Glutamines of BM-40 (Osteonectin, SPARC) Act as Amine Acceptor Sites in TransglutaminaseC-catalyzed Modification," J. Biol. Chem., 270, pp. 23415-23420 (1995).
	Homminga et al., "Perichondral grafting for cartilage lesions of the knee," J. Bone Joint Surg., 72-B, pp. 1003-1007 (1990).
	Homminga et al., "Repair of articular defects by perichondrial grafts: Experiments in the rabbit," <i>Acta Orthop. Scand.</i> , pp. 326-329 (1989).
	Hunziker and Rosenberg, "Repair of Partial-Thickness Defects in Articular Cartilage: Cell Recruitment from the Synovial Membrane," J. Bone Joint Surg., 78-A, pp. 721-733 (1996).
	Itay et al., "Use of Cultured Embryonal Chick Epiphyseal Chondrocytes as Grafts for Defects in Chick Articular Cartilage," Clin. Orthop., 220, pp. 284-303 (1987).
	Kalb and Cowley, "Hope for Damaged Joints," Newsweek, p. 55, January 29, 1996.
	King et al., "Beneficial actions of exogenous hyaluronic acid on wound healing," Surgery, 109, pp. 76-84 (1991).
	Knudson, C.B., "Hyaluronan Receptor-directed Assembly of Chondrocyte Pericellular Matrix," J. Cell Biol., 120 pp. 825-834 (1993).
	Knudson and Knudson, "Hyaluronan-binding proteins in development, tissue homeostasis, and disease," <i>FASEB J.</i> , 7, pp. 1233-1241 (1993).
	Kuettner et al., "Synthesis of Cartilage Matrix by Mammalian Chondrocytes in vitro. I. Isolation, Culture Characteristics, and Morphology," J. Cell Biol., 93, pp. 743-750 (1982).
•	Kuo et al., "Chemical Modification of Hyaluronic Acid by Carbodiimides," <i>Bioconjugate Chem.</i> , 2, pp. 232-241 (1991).
	Kurzer and Douraghi-Zadeh, "Advances in the Chemistry of Carbodiimides," Chem. Rev., 67, pp. 107-152 (1967).
	Kvam et al., "Purification and Characterization of Hyaluronan from Synovial Fluid," Anal. Biochem., 211, pp. 44 49 (1993).
	Larsen, N.E., "Management of adhesion formation and soft tissue augmentation with viscoelastics: hyaluronan derivatives," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives," T.C. Laurent (ed.), Portland Press, London, pp. 267-281 (1998).

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO. S/267 DIV	APPLN. NO. 10/680,000
APPLICANT Daniel Aeschlimann et al.	Conf. No. 4529
FILING DATE 10/06/2003	GROUP ART UNIT 1623

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	
	Larsen and Balazs, "Drug delivery systems using hyaluronan and its derivatives," Adv. Drug Delivery Rev., 7, pp. 279-293 (1991).
	Laurencin et al., "Poly(anhydride) administration in high doses in vivo: Studies of biocompatibility and toxicology," J. Biomed. Mat. Res., 24, pp. 1463-1481 (1990).
	Laurent and Fraser, "Hyaluronan," FASEB J., 6, pp. 2397-2404 (1992).
	Maleski and Knudson, "Hyaluronan-Mediated Aggregation of Limb Bud Mesenchyme and Mesenchymal Condensation during Chondrogenesis," Exp. Cell Res., 225, pp. 55-66 (1996).
	McPherson et al., "Collagen Fibrillogenesis In Vitro: A Characterization of Fibril Quality as a Function of Assembly Conditions," Collagen Rel. Res., 5, pp. 119-135 (1985).
	Morgelin et al., "The cartilage proteoglycan aggregate: assembly through combined protein-carbohydrate and protein-protein interactions," <i>Biophys. Chem.</i> , 50, pp. 113-128 (1994).
	Nakahara et al., "Culture-Expanded Periosteal-Derived Cells Exhibit Osteochondrogenic Potential in Porous Calcium Phosphate Ceramics In Vivo," Clin. Orthop., 276, pp. 291-298 (1992).
	Noble et al., "Induction of inflammatory gene expression by low-molecular-weight hyaluronan fragments in macrophages," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives," T.C. Laurent (ed), Portland Press, London, pp. 219-225 (1998).
	O'Driscoll et al., "Durability of Regenerated Articular Cartilage Produced by Free Autogenous Periosteal Grafts in Major Full-Thickness Defects in Joint Surfaces under the Influence of Continuous Passive Motion," J. Bone Joint Surg., 70-A, pp. 595-606 (1988).
	Ogamo et al., "Preparation and properties of fluorescent glycosamino-glycuronans labeled with 5-aminofluorescein," Carbohydr. Res., 105, pp. 69-85 (1982).
	Parameswaran et al., "Labeling of ε-lysine cross-linking sites in proteins with peptide substrates of factor XIIIa and transglutaminase," <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 87, pp. 8472-8475 (1990).
	Pouyani et al., "Functionalized Derivatives of Hyaluronic Acid Oligosaccharides: Drug Carriers and Novel Biomaterials," <i>Bioconjugate Chem.</i> , 5, pp. 339-347 (1994).
	Prestwich et al., "Chemical modification of hyaluronic acid for drug delivery, biomaterials and biochemical probes," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed)., Portland Press, London, pp. 43-65 (1998).
	Richards and Knowles, "Glutaraldehyde as a Protein Cross-linking Reagent," J. Mol. Biol., 37, pp. 231-233 (1968).

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO. S/267 DIV 10/680,000

APPLICANT Conf. No. 4529

Daniel Aeschlimann et al.

FILING DATE GROUP ART UNIT 1623

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	
	Robinson et al., "Regenerating Hyaline Cartilage in Articular Defects of Old Chickens Using Implants of Embryonal Chick Chondrocytes Embedded in a New Natural Delivery Substance," <i>Calcif. Tissue Int.</i> , 46, pp. 246-253 (1990).
	Sampath et al., "Recombinant Human Osteogenic Protein-1 (hOP-1) Induces New Bone Formation in Vivo with a Specific Activity Comparable with Natural Bovine Osteogenic Protein and Stimulates Osteoblast Proliferation and Differentiation in Vitro," J. Biol. Chem., 267, pp. 20352-20362 (1992).
	Scott, J.E., "Chemical morphology of hyaluronan," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed)., Portland Press, London, pp. 7-15 (1998).
	Sheng et al., "A Specific Quantitative Colorimetric Assay for L-Asparagine," <i>Anal. Biochem.</i> , 211, 242-249 (1993).
	Shortkroff et al., "Healing of chondral and osteochondral defects in a canine model: the role of cultured chondrocytes in regeneration of articular cartilage," <i>Biomaterials</i> , 17, pp. 147-154 (1996).
	Strachan et al., "Hyaluronate in rheumatology and orthopaedics: Is there a role?" Ann. Rheum. Dis., 49, 949-952 (1990).
	Vercruysse et al., "Synthesis and in vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," <i>Bioconjugate Chem.</i> , 8, pp. 686-694 (1997).
	Vilaseca et al., "Protein Conjugates of Defined Structure: Synthesis and Use of a New Carrier Molecule," Bioconjugate Chem., 4, pp. 515-520 (1993).
	Wakitani et al., "Mesenchymal Cell-Based Repair of Large, Full-Thickness Defects of Articular Cartilage," J. Bone Joint Surg., 76-A, pp. 579-592 (1994).
	Wakitani et al., "Repair of rabbit articular surfaces with allograft chondrocytes embedded in collagen gel," <i>J. Bone Joint Surg.</i> , 71-B, pp. 74-80 (1989).
	Wang et al., "Recombinant human bone morphogenetic protein induces bone formation," <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 87, pp. 2220-2224 (1990).
	Weiss, C., "Viscoseparation and viscoprotection as therapeutic modalities in the musculoskeletal system," in The Chemistry, Biology and Medical Applications of Hyaluronan and Its Derivatives, T.C. Laurent (ed)., Portland Press, London, pp. 255-265 (1998).
	Wong, S.S., "Chemistry of protein conjugation and crosslinking," CRC Press, Inc., Boca Raton, FL, p. 27 (1993)
	Yang and Moses, "Transforming Growth Factor β1-induced Changes in Cell Migration, Proliferation, and Angiogenesis in the Chicken Chorioallantoic Membrane," J. Cell Biol., 111, pp. 731-741 (1990).

EXAMINER

DATE CONSIDERED